

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(siz\$3 or length) with signal\$4 same extract\$3 with (destination with address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:28
L3	82	"709"/\$.ccls. and (wak\$3 near2 up) with (sleep\$3 near4 mode)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:35
L4	30	"709"/\$.ccls. and (wak\$3 near2 up) with (sleep\$3 near4 mode) and detect \$3 with signal\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:35
L5	3	"709"/\$.ccls. and (wak\$3 near2 up) with (sleep\$3 near4 mode) with detect \$3 with signal\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:35
L6	4	"709"/\$.ccls. and (wak\$3 near2 up) with (sleep\$3 near4 mode) same detect \$3 with signal\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:39
L7	9	"709"/\$.ccls. and (wak\$3 near2 up) same (sleep\$3 near4 mode) same detect \$3 with signal\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:41
L8	11	"709"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:46
L9	24	"713"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 20:50
L10	646	"375"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:05

L11	6	"375"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and ((wak\$3 near2up) or (sleep\$3 near4 mode))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:06
L12	6	"375"/\$.ccls. and (detect \$3 or measur\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and ((wak\$3 near2up) or (sleep\$3 near4 mode))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:07
L13	591	"375"/\$.ccls. and detect \$3 with (siz\$3 or length \$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:08
L14	471	"375"/\$.ccls. and detect \$3 with (siz\$3 or length \$3) with signal\$4 with (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:09
L15	1	"375"/\$.ccls. and detect \$3 with (siz\$3 or length \$3) with signal\$4 with (decod\$3 or (extract\$3 with (destination near4 address))) and sleep\$3 near4 mode	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:09
L16	2	"375"/\$.ccls. and detect \$3 with (siz\$3 or length \$3) with signal\$4 with (decod\$3 or (extract\$3 with (destination near4 address))) and wak\$3 near4up	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:10
L17	1	"375"/\$.ccls. and detect \$3 with (siz\$3 or length \$3) with signal\$4 with (decod\$3 or (extract\$3 with (destination near4 address))) and wak\$3 near4 up	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:10

L18	0	"709"/220.ccls. and (detect\$3 or monitor\$3) with (siz\$3 or length\$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:12
L19	1	"709"/223.ccls. and (detect\$3 or monitor\$3) with (siz\$3 or length\$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:12
L20	1	"709"/224.ccls. and (detect\$3 or monitor\$3) with (siz\$3 or length\$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:13
L21	0	"709"/227.ccls. and (detect\$3 or monitor\$3) with (siz\$3 or length\$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:13
L22	1	"709"/232.ccls. and (detect\$3 or monitor\$3) with (siz\$3 or length\$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:13
L23	1	"709"/236.ccls. and (detect\$3 or monitor\$3) with (siz\$3 or length\$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:14
L24	0	"709"/\$.ccls. and (detect\$3 or monitor\$3) with (siz\$3 or length\$3) with signal\$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and ((sleep\$3 near4 mode) or (wak\$3 near2 up))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:15

L25	1	713/320.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:16
L26	0	713/323.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:16
L27	24	"713"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:17
L28	5	370/471.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:25
L29	0	370/472.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:27
L30	2	370/522.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:27
L31	139	"370"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:29

L32	3	"370"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and (sleep\$4 near4 mode)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:30
L33	3	"370"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and ((sleep\$4 near4 mode) or (wak\$3 near2 up))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:30
L35	3	375/342.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:39
L36	5	375/364.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:40
L37	9	375/365.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:43
L38	7	375/365.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and @ad<"19990105"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:43

L39	0	375/365.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and @ad< "19990105" and ((sleep\$3 near4 mode) or (wak\$3 near2 up))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:44
L40	0	375/368.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and @ad< "19990105" and ((sleep\$3 near4 mode) or (wak\$3 near2 up))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:45
L41	0	375/371.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and @ad< "19990105" and ((sleep\$3 near4 mode) or (wak\$3 near2 up))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:45
L42	0	"375"/\$.ccls. and (detect \$3 or monitor\$3) with (siz \$3 or length\$3) with signal \$4 same (decod\$3 or (extract\$3 with (destination near4 address))) and @ad< "19990105" and ((sleep\$3 near4 mode) or (wak\$3 near2 up))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 21:45

6/ 15/ 2009 9:45:47 PM